



Main datas

Builder : Alubat

Year : 1999

Length : 11,40

Draft minimum : 0,58

Hull : Monohull

Subtype :

Architect : Joubert & nivelt

Material : Aluminum

Beam : 3,60

keel : Centerboard integral

Engines

Model : D2-40

Montage : In Board (IB)

Power Unit. (CV) : 40

Hours : 285

Fuel capacity : 150

Brand : VOLVO

Fuel : Diesel

Engine(s) : 1

Drive : Shaft drive

Facilities

Sailor Cabin : 0

WC : Sailor

Helm : No

Double Cabin : 2

Head : 1

Berth : 7

Flybridge : No

Technical Details

OVNI 345 by Alubat

The OVNI 345 is a cruising boat designed by Alubat, known for its robustness and versatility. This sailboat is particularly appreciated for its sea performance and onboard comfort, making it an excellent choice for sailors wishing to explore the oceans safely.

Technical Specifications

- Overall Length: 10.36 meters -
- Hull Length: 9.95 meters -
- Beam: 3.45 meters -
- Draft: 1.25 meters -
- Displacement: 6.5 tonnes -
- Water Tank Capacity: 300 liters -
- Fuel Tank Capacity: 100 liters -

Performance

- Sail Area (close-hauled): 55 m² -
- Sail Area (reaching): 100 m² -
- Maximum Speed: 8 knots -
- Cruising Speed: 6-7 knots -

Comfort and Equipment

- Cabins: 2 double cabins -
- Berths: 4 -
- Toilets: 1 -
- Navigation Equipment: GPS, chartplotter, autopilot -
- Safety Equipment: Distress beacon, liferaft -

Materials and Construction

- Hull Material: Reinforced polyester -
- Deck Material: Reinforced polyester -
- Builder: Alubat -
- Architect: Marc Lombard -

The OVNI 345 is a versatile sailboat that combines performance, comfort, and safety, ideal for long-distance sailing. Its robust construction and modern equipment make it a reliable choice for sailing enthusiasts.

Limitation of liability : XBOAT assumes no responsibility for the information provided in this technical data sheet, which has been sourced from the internet and has not been verified. This information is non-contractual and does not, in any way, bind XBOAT.



































































































