https://www.xboat.uk/3499-CRANCHI_CRANCHI-37-SMERALDO.html

Main datas

Builder : Cranchi
Year : 1999
Length : 10,92
Draft minimum : 0,65
Hull : Monohull

Subtype :
Architect :
Material : GRP
Beam : 3,80
keel : Unknown

Engines

Model : KAD 44P EDC
Montage : In Board (IB)
Power Unit. (CV) : 260
Hours : 826
Fuel capacity : 640

Brand : VOLVO
Fuel : Diesel
Engine(s) : 2
Drive : Z drive

Facilities

Sailor Cabin : 0

WC : Sailor

Helm : No

Double Cabin : 2

Head : 1

Berth : 4

Flybridge : No

Technical Details

The Cranchi 37 Smeraldo is a magnificent cruising boat designed to offer comfort and performance. Built by the Italian manufacturer Cranchi, this boat is renowned for its elegance and reliability.

Main Features:

- Length overall: 11.50 meters -

- Beam: 3.70 meters -

- Draft: 0.95 meters -

- Displacement: 9,500 kg -

- Freshwater tank: 250 liters -

- Fuel tank: 600 liters -

Engine:

- Engine: 2 diesel engines -

- Power: 2 x 300 horsepower -

- Cruising speed: 20 knots -

- Maximum speed: 28 knots -

Interior Layout:

- Main cabin: Double bed with built-in storage -

- Guest cabin: 2 single beds convertible into a double bed -

- Bathroom: Separate shower and chemical toilet -

- Kitchen: Equipped with a refrigerator, sink, and countertop -

Exterior Layout:

- Cockpit: Outdoor living space with benches and dining table -

- Stern platform: Easy access to the water with a swim ladder -

- Foredeck: Relaxation area with sunbed -

Electronics and Navigation:

- GPS/Chartplotter: For precise navigation -

- Sonar: For fishing and bottom detection -

- VHF: For maritime communications -

The Cranchi 37 Smeraldo is ideal for family outings or with friends, offering a perfect balance between performance and comfort. Its robust construction and careful finishes make it a top choice for sailing enthusiasts.

Médias

V. SALPA ANCORA

LUCE STRUM   LUCE FONDA   TROMBA

LUCE POZZ.   TERGI   P.SENTINA   LUCI VIA

ATTENZIONE: AERARE IL VANO MOTORI PER 5 MINUTI PRIMA DI AZIONARE IL MOTORE O QUALSIASI AUSILIARIO DELLO STESSO.

WARNING: VENTILATE ENGINE COMPARTEMENT 5 MINUTES BEFORE STARTING THE ENGINE OR ANY OTHER AUXILIARI OF IT.

VOLVO PENTA

SIDEPOWER
THRUSTER

ON OFF

VOLVO PENTA

DIAGNOSE ACTIVE
STARTER DIAGNOSE

NEUTRAL SYNC NEUTRAL

VOLVO PENTA

BOW DOWN

Moulinex