



Main datas

Builder : Elan Boats
Year : 2004
Length : 9,99
Draft minimum : 1,90
Hull : Monohull

Subtype :
Architect : ROB HUMPHREYS
Material : GRP
Beam : 3,40
keel : Fixed Keel

Engines

Model :
Montage : In Board (IB)
Power Unit. (CV) : 30
Hours : 900
Fuel capacity : 90

Brand : Volvo
Fuel : Diesel
Engine(s) : 1
Drive : Saildrive

Facilities

Sailor Cabin : 0	Double Cabin : 2
WC : Sailor	Head : 1
Helm : No	Berth : 6
	Flybridge : No

Technical Details

The Elan 333 is a cruising sailboat designed to combine performance and comfort. Designed by the Slovenian shipyard Elan, this boat is appreciated for its versatility and ease of handling.

Main characteristics:

-
Length overall: 9.98 m

-
-
Hull length: 9.24 m

-
-
Beam: 3.25 m

-
-
Draft (standard): 1.90 m

-
-
Displacement: 4,500 kg

-
-
Ballast: 1,700 kg

-
-
Sail area: 54 m²

-
-
Genoa area: 30 m²

-
-
Mainsail area: 24 m²

-
-
Engine: Yanmar 2YM15 or 2YM20

-
-
Water tank: 150 litres

-
-

Fuel tank: 60 litres

-
-

Fuel capacity: 60 litres

-
-

Fresh water capacity: 150 litres

-
-

Waste water capacity: 70 litres

-
-

Black water capacity: 70 litres

-
-

Grey water capacity: 70 litres

-
-

Number of cabins: 2

-
-

Number of berths: 4 to 6

-
-

Number of toilets: 1

-
-

Number of showers: 1

-
-

Strengths:

-
-

Modern design: Polyester hull with a modern shape and clean lines.

-
-

Maneuverability: Easy to handle thanks to its simple rigging and balance.

-
-

Comfort: Spacious interior with practical arrangements for cruising.

-
-

Performance: Good performance under sail thanks to its deep keel and well-designed rigging.

-
-

The Elan 333 is an excellent choice for sailing enthusiasts looking for a versatile, high-performance, and comfortable boat for coastal cruising or long crossings.

Limitation of liability : XBOAT assumes no responsibility for the information provided in this technical data sheet, which has been sourced from the internet and has not been verified. This information is non-contractual and does not, in any way, bind XBOAT.





















































