



Main datas

Builder : Jeanneau

Year : 1997

Length : 14,15

Draft minimum : 2,00

Hull : Monohull

Subtype :

Architect : JEANNEAU DESIGN

Material : GRP

Beam : 4,48

keel : Fixed Keel

Engines

Model : 4JHTE

Montage : In Board (IB)

Power Unit. (CV) : 62

Hours : 4100

Fuel capacity : 205

Brand : YANMAR

Fuel : Diesel

Engine(s) : 1

Drive : Shaft drive

Facilities

Sailor Cabin : 0

WC : Sailor

Helm : No

Double Cabin : 4

Head : 2

Berth : 8

Flybridge : No

Technical Details

The Sun Odyssey 45.1 is a cruising sailboat designed by the renowned builder Jeanneau, known for its comfort, performance, and robustness. This boat is ideal for sailing enthusiasts seeking a perfect balance between performance and convenience.

Main Characteristics:

- Overall Length: 13.94 meters -
- Beam: 4.37 meters -
- Draft: 2.10 meters (standard) -
- Displacement: 10,750 kg -
- Water Tank Capacity: 600 liters -
- Fuel Tank Capacity: 200 liters -

Performance:

- Sail Area (upwind): 90 m² -
- Sail Area (downwind): 145 m² -
- Displacement Ratio: 156 -
- Length Ratio: 34.4 -

Comfort and Equipment:

- Cabins: 3 double cabins -
- Berths: 6 to 8 people -
- Bathroom: 2 bathrooms with showers -
- Kitchen: Equipped kitchen with refrigerator, sink, and spacious countertops -
- Electronics: GPS, autopilot, VHF, depth sounder, anemometer -

Construction:

- Material: Fiberglass-reinforced polyester hull -
- Deck: Synthetic teak deck for increased durability -
- Mast: Aluminum mast -

The Sun Odyssey 45.1 is a versatile sailboat that offers enjoyable and safe sailing, whether for family outings or longer cruises. Its modern design and high-quality equipment make it an ideal choice for demanding sailors.

Limitation of liability : XBOAT assumes no responsibility for the information provided in this technical data sheet, which has been sourced from the internet and has not been verified. This information is non-contractual and does not, in any way, bind XBOAT.



































































































