



Main datas

Builder : Beneteau
Year : 2019
Length : 9,75
Draft minimum : 2,50
Hull : Monohull

Subtype :
Architect :
Material : GRP
Beam : 3,47
keel : Fixed Keel

Engines

Model : N321 TMC40
Montage : In Board (IB)
Power Unit. (CV) : 21
Hours : 252
Fuel capacity : 45

Brand : NANNI DIESEL
Fuel : Diesel
Engine(s) : 1
Drive : Shaft drive

Facilities

Sailor Cabin : 0	Double Cabin : 0
WC : No	Head : 0
Helm : No	Berth : 2
	Flybridge : No

Technical Details

The Figaro 3 is a racing monohull designed by the renowned builder Bénéteau, specifically built for solo regattas. This boat is renowned for its performance, maneuverability, and robustness, making it a preferred choice for solo sailors and offshore racing enthusiasts.

- Builder: Bénéteau -
- Architect: Finot-Conq Architects -
- Launch Year: 2019 -
- Overall Length: 10.85 meters -
- Hull Length: 10.85 meters -
- Beam: 3.45 meters -
- Draft: 2.50 meters -
- Displacement: 3,650 kg -
- Sail Area (upwind): 98 m² -
- Sail Area (downwind): 185 m² -
- Hull Material: Composite (carbon fiber and epoxy resin) -
- Deck Material: Composite (carbon fiber and epoxy resin) -
- Keel: Long keel -
- Fresh Water Tank: 100 liters -
- Fuel Tank: 100 liters -
- Engine: Yanmar 2YM15 (14 hp) -

The Figaro 3 is equipped with cutting-edge technologies to optimize racing performance. Its lightweight and rigid composite hull, combined with a long keel, ensures excellent stability and great reactivity. The boat is also designed to be easy to maneuver by a single crew member, with simplified rigging and sail systems.

This monohull is ideal for solo sailors looking to participate in solo or short-crew races. Its robust design and exceptional performance make it a top choice for sea regattas.

Limitation of liability : XBOAT assumes no responsibility for the information provided in this technical data sheet, which has been sourced from the internet and has not been verified. This information is non-contractual and does not, in any way, bind XBOAT.





















































