



Main datas

Builder : Latitude 46
Year : 2013
Length : 8,00
Draft minimum : 0,88
Hull : Monohull

Subtype : Pleasure
Architect : JOUBERT NIVELT
Material : GRP
Beam : 2,53
keel : Lifting Keel

Engines

Model : N 210
Montage : In Board (IB)
Power Unit. (CV) : 10
Hours : 170
Fuel capacity : 25

Brand : NANNI
Fuel : Diesel
Engine(s) : 1
Drive : Shaft drive

Facilities

Sailor Cabin : 0

WC : No

Helm : No

Double Cabin : 1

Head : 0

Berth : 4

Flybridge : No

Technical Details

The Tofinou 8 is an elegant and high-performance sailboat designed by the manufacturer Latitude 46. This boat is renowned for its versatility, comfort, and excellent sailing performance. Here are some of its main characteristics:

- Overall Length: 8.20 meters -
- Beam: 2.48 meters -
- Draft: 0.90 to 2.30 meters (adjustable) -
- Displacement: 1,800 kg -
- Sail Area: 30 m² -
- Hull Type: Monohull in polyester -
- Fuel Capacity: 30 liters -
- Fresh Water Capacity: 60 liters -

The Tofinou 8 is ideal for coastal sailing and short cruises. Its modern design and high-quality equipment make it a popular choice among sailing enthusiasts. The boat is also appreciated for its ease of handling and onboard comfort, making it an excellent choice for solo sailors or small crews.

The sought-after characteristics of the Tofinou 8 include its ability to navigate in shallow waters thanks to its adjustable draft, as well as its well-designed living space, offering a good balance between performance and comfort. The boat is also known for its stability and responsiveness, making it a pleasant sailboat to maneuver in various wind conditions.

Limitation of liability : XBOAT assumes no responsibility for the information provided in this technical data sheet, which has been sourced from the internet and has not been verified. This information is non-contractual and does not, in any way, bind XBOAT.



















































LATITUDE 46
17410 ST MARTIN - ÎLE DE RÉ - FRANCE
Type: **Tofinou 8.0** Tél. 33(0)546.094.179
Catégories C-5 Personnes D-6 Personnes
Charge + C-500 Kg D-550 Kg
Charge maxi recommandée 500 Kg
CE