



Main datas

Builder : Ocqueteau
Year : 2005
Length : 9,26
Draft minimum : 0,95
Hull : Monohull

Subtype :
Architect :
Material : GRP
Beam : 3,42
keel : Unknown

Engines

Model :
Montage : In Board (IB)
Power Unit. (CV) : 200
Hours : 180
Fuel capacity : 600

Brand : NANNI DIESEL
Fuel : Diesel
Engine(s) : 2
Drive : Shaft drive

Facilities

Sailor Cabin : 0

WC : Electric

Helm : No

Double Cabin : 2

Head : 1

Berth : 6

Flybridge : Yes

Technical Details

The Ocqueteau 900 Fly is a versatile and comfortable cruising boat, ideal for family outings or with friends. Designed by the French manufacturer Ocqueteau, this model combines performance, safety, and comfort for pleasant sailing experiences.

Main characteristics:

- Overall length: 9.00 meters -
- Width: 3.20 meters -
- Draft: 0.80 meters -
- Displacement: Approximately 4,500 kg -
- Fuel capacity: 300 liters -
- Fresh water capacity: 200 liters -

Power:

- Recommended engine: Inboard diesel engine from 150 to 220 horsepower -
- Transmission: Saildrive or conventional transmission -

Interior layout:

- Main cabin: Double bed at the front -
- Aft cabin: Double bed or twin beds -
- Salon: Cozy space with chart table and convertible benches into a spare bed -
- Kitchen: Equipped with a sink, refrigerator, and cooktops -
- Bathroom: Shower and chemical toilets -

Exterior layout:

- Cockpit: Large cockpit with dining table and benches -
- Flybridge: Elevated piloting space with seats and table -
- Swim platform: Easy access to the water -

Safety equipment:

- Lifeboat -
- Fire extinguishers -
- First aid kit -
- Lifebuoys -

The Ocqueteau 900 Fly is a boat designed to offer a perfect balance between performance and comfort, ideal for coastal sailing and leisure cruises.

Limitation of liability : XBOAT assumes no responsibility for the information provided in this technical data sheet, which has been sourced from the internet and has not been verified. This information is non-contractual and does not, in any way, bind XBOAT.





















































































