



Ref: ERALL222993



Main datas

Builder : Year : 2000 Length : 15,98 Draft : 1,10

hull : Monohull Area : Others Berth details : Flag : France Subtype:

Architect : Lenoir Material : Aluminum

Beam: 4,67

keel: Centerboard integral

Life Raft : Yes Mooring : Yes

Leasing in progress: No

Engines

Brand: Perkins

Montage : In Board (IB) Power Unit. (CV) : 50

Comments : Shaft : Shaft drive

Brand : Perkins Fuel : Diesel Comments :

Tank: 430

Shaft : Shaft drive

Facilities

Sailor Cabin : 2 Double Cabin : 3

WC : Sailor Head : 2
Helm : No Flybridge : No

Electronics

Radar details : FURUNO 1623 (2011)

Radar : Yes

Sounder details : RAYTHEON ST 60

Autopilot : Yes

CRS : Yes

Plotter details : GPS : Yes Watermaker details : VHF : Yes

Watermaker : No

Bridge equipment

Hydrolic Gangway : No Gangway : Yes
Bath platform : Yes Davits : No

Winter cover : No Electric windlass : Yes Furling mainsail : No Furling genoa : Yes

Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Siphilar 20 Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Siphilar 20 Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Siphilar 20 Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Siphilar 20 Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Siphilar 20 Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Siphilar 20 Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Siphilar 20 Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Siphilar 20 Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Siphilar 20 Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Siphilar 20 Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Siphilar 20 Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Siphilar 20 Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Siphilar 20 Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Siphilar 20 Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Siphilar 20 Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thombaquelise (\$20 egm) o de Sáins isesail sen rio Ollehir Raiget Barada Utri le 98 trá 2 thomb

Teak cockpit: Yes Teak deck: No

Major equipment

Stern thruster : No
Group and thruster details :

Bow Thruster : No

Charger and AC details : TECPRO 12V /40 A

Marine Gen. : Yes

AC : No

Tender : Yes Flaps : No

Details : Tender Engine : Yes

Appliances

Freezer : No Microwaves : No

Oven : Yes Heating details : Heater : No

TV : Yes

TV antenna : Yes SAT-TV : No

IceMaker : No Oven : Yes

Electric stove : No SAT-TV : No

Divers

Comments: VIA 52, aluminum weighted dinghy, built by the shipyards of Paimpol and Fecamp en 1984. Not completed by this date, development work was carried out between 1996 and October 2000 day of his first launch. Built in a small series of five units, the VIA 52 is an excellent Drifting aluminum weighted sailing dinghy designed for the big trip. Very well insulated with a layout wanted by its sole owner in ash, elm and iroko, it has a beautiful interior, spacious, open and very bright. Its equipment provides a great autonomy and its careful and very Regular make it the ideal boat for a great start. SHELL The hull shaped, edged welded on T-bars (omega) and couplings Boilermaking work is classic and robust This unit is type DERIVEUR LESTE, the central drift is actuated by 2 hydraulic cylinders connected to a central. Manual operation is also possible either hydraulic or mechanical. The sides are lacquered (international painting Oct 2008). The bow is straight. The transom is equipped with a SKIRT with steps, BATHROOM and storage of survival. Sanded DECK, it is covered with a lacquer AWLGRIP complemented by an anti-slip paint AWLGRIP (2005). The foot block is welded. The Deck panels are GOIOT brand. The deck plan is as follows, from front to back, as follows: ONE FRONT BEACH WITH: • 1 anchorcheck with integrated electric windlass 1500 W • 1 davit rocker - 1 trunk 5 caps GOIOT UN ROOF LONG WITH: - Fixed and opening portholes - 4 bream · 3 opening GOIOT panels · 1 large GOIOT opening panel (above motors) · 1 pair of mast balconies A SELF-COCKPIT COCKPIT WITH: · 1 trunk with windlass manual GOIOT · 1 retractable table · 1 column wheel with compass · 2 banquettes face to face · Grating · 1 main access protected by windshield · Hood (2006) + Bimini (2011) ONE BEACH REAR WITH: · Storage boxes · 2 half-rear balconies · Stainless steel plate rack solar, antennas · Davits equipped with pulleys + d Infos click on Inventory

Médias











































