



Main datas

Builder : Jeanneau

Year : 2003

Length : 10,25

Draft minimum : 0,60

Hull : Monohull

Subtype :

Architect :

Material : GRP

Beam : 3,25

keel : Unknown

Engines

Model : KAD 300

Montage : In Board (IB)

Power Unit. (CV) : 285

Hours : 860

Fuel capacity : 500

Brand : VOLVO PENTA

Fuel : Diesel

Engine(s) : 2

Drive : Z drive

Facilities

Sailor Cabin : 0	Double Cabin : 2
WC : Electric	Head : 1
Helm : No	Berth : 6
	Flybridge : No

Technical Details

The Jeanneau Prestige 34 Open is an elegant and high-performance boat, designed to offer an exceptional sailing experience. This 10.36-meter yacht is ideal for sea outings, whether for coastal cruises or open-sea escapes.

Main Characteristics:

- Length Overall: 10.36 meters
- Beam: 3.35 meters
- Draft: 0.95 meters
- Displacement: Approximately 6 tons
- Engine: Volvo Penta D4-220 or D4-260 diesel engine
- Cruising Speed: Approximately 22-25 knots
- Maximum Speed: Approximately 30 knots
- Fuel Tank: 600 liters
- Fresh Water Tank: 100 liters
- Capacity: 6 people
- - - - -

The Prestige 34 Open is equipped with modern technologies and high-quality materials, ensuring durability and comfort. The spacious and well-designed cockpit offers a pleasant living area, with comfortable seating and a retractable dining table. The interior is bright and welcoming, with careful finishes and abundant storage spaces.

The performance and maneuverability of the Prestige 34 Open are ensured by a robust fiberglass hull and powerful motorization. The yacht is also equipped with state-of-the-art navigation and safety systems, ensuring safe and enjoyable sailing.

Whether you are an experienced sailor or a cruise enthusiast, the Jeanneau Prestige 34 Open is an ideal choice for unforgettable moments at sea.

Limitation of liability : XBOAT assumes no responsibility for the information provided in this technical data sheet, which has been sourced from the internet and has not been verified. This information is non-contractual and does not, in any way, bind XBOAT.



