



Main datas

Builder : Dufour
Year : 2006
Length : 13,67
Draft minimum : 2,45
Hull : Monohull

Subtype :
Architect :
Material : GRP
Beam : 4,25
keel : Fixed Keel

Engines

Model :
Montage : In Board (IB)
Power Unit. (CV) : 55
Hours : 1500
Fuel capacity : 250

Brand : Volvo Penta
Fuel : Diesel
Engine(s) : 1
Drive : Saildrive

Facilities

Sailor Cabin : 0	Double Cabin : 3
WC : Sailor	Head : 2
Helm : No	Berth : 8
	Flybridge : No

Technical Details

The Dufour 44 is a cruising sailboat designed by the renowned shipyard Dufour, known for the quality of its constructions and attention to detail. This boat is appreciated for its robustness, comfort, and performance at sea. Here is a detailed description of its main technical characteristics.

- Year of construction: The Dufour 44 was produced starting in 1986 and had several versions until 1996.
- Length overall: 13.40 meters
- Hull length: 12.60 meters
- Beam: 4.00 meters
- Draft: 2.10 meters (standard), 1.60 meters (semi-lifting)
- Displacement: Approximately 10 tons
- Main sail area: 42 m²
- Genoa area: 32 m²
- Total sail area: 74 m²
- Keel type: Long keel or semi-lifting keel
- Water capacity: 400 liters
- Fuel capacity: 150 liters
- Engine: Generally a diesel engine of 40 to 50 HP
- Berth capacity: 6 to 8 people (3 cabins and 2 berths in the saloon)
- Comfort: The Dufour 44 offers a spacious and well-appointed interior, with an equipped kitchen, a bathroom with shower, and ample storage.
- Navigation: This sailboat is appreciated for its stability and maneuverability, making it an excellent choice for couple or family cruises.

The Dufour 44 is a versatile boat, ideal for coastal sailing and long-distance cruising. Its solid construction and clean design make it a reliable choice for sailing enthusiasts.

Limitation of liability : XBOAT assumes no responsibility for the information provided in this technical data sheet, which has been sourced from the internet and has not been verified. This information is non-contractual and does not, in any way, bind XBOAT.

































































































